

Era: 2018+

Without Sound

ATHG41410 HO SD70ACe, UP George HW Bush #4141

With Sound

ATHG04141 HO SD70ACe w/DCC & Sound, UP George HW Bush #4141

UP #4141 GEORGE H. W. BUSH FEATURES:


- Commemorative box
- · Removable cab roof secured with magnets
- · High-mount headlight and ditchlights, now LED
- December 2018 version with black radiator fan housings




w/o Sound \$249.98srp With Isunami Sound \$339.98srp These items are subject to Horizon's MAP policy



* Union Pacific Licensed Product



On October 2005, Union Pacific paid tribute to President George Herbert Walker Bush with a custompainted locomotive. Incorporating colors and elements of the Air Force One used during Mr. Bush's presidency, the new Union Pacific locomotive bears the number 4141, in honor of the 41st president. The special locomotive, which replicates the Raymond Loewydesigned Air Force One markings as a striking symbol of national pride and strength, was revealed to the former president during a ceremony near the George Bush Presidential Library and Museum on the Texas A&M University campus in College Station, Texas.







SOUND EQUPPED MODELS ALSO FEATURE

- Onboard DCC decoder with SoundTraxx Tsunami2 sound
- · Sound units operate in both DC and DCC
- · Full DCC functions available when operated in DCC mode
- · Engine, horn, and bell sounds work in DC
- · All functions NMRA compatible in DCC mode
- Slow speed control
- Program a multiple unit (MU) lashup with lead unit only horn. bell, and lights
- Many functions can be altered via Configuration Value (CV) changes
- · CV chart included in the box

PROTOTYPE SPECIFIC INFORMATION

In order to meet stricter diesel locomotive emissions standards imposed by EPA Tier II regulations, EMD modified the SD-70MAC to create the SD70ACe and SD70M-2. Each model is powered by a 16-cylinder, 4300-horsepower diesel engine. On the SD70M-2, the prime mover drives an alternator and produces AC current that is rectified to DC current, which powers the traction motors. On the SD70ACe, the DC current is then "chopped" back into AC to power the traction motors.

On December 6, 2018 UP 4141 led the funeral train carrying the late President George H. W. Bush from Spring, TX to Texas A&M University for his burial at his Presidential Library and Museum.



SD70ACe AND SD70M-2 SPECIFIC FEATURES


- New for the SD70ACe, LED lighting
- Correctly-sized illuminated ditch lights
- Snowplow
- Front and rear trainline air hose with silver tips
- Rubber multiple unit (MU) hoses with silver tips
- Coupler cut bars
- Train line air hoses
- Flat or tapered front and rear anticlimbers
- · Safety tread on the walkways
- Cab mounted headlight
- · Standard or isolated cab
- · Windshield wipers
- Mirrors
- Detailed and painted cab interior with control stand, display screens, detailed crew seats and optional grade crossing camera
- · Airchime K5LLA horn with square or "tube" style mounting bracket
- · Large antenna dome
- · Small GPS antenna dome
- · Inverter box with original X-panels, X-panels with retrofitted louvers, factory louvers, late EMD large intake or retrofit large intake
- · See-through radiator fans
- · Etched dynamic brake grille and screen with appropriate grid detail underneath
- · Dynamic brake louver variations per prototype
- Chicago Blower brand air blower visible behind the see-through grilles at the rear of the locomotive
- Early or late hand brake housing and wheel
- · Early or Late Sander Brackets
- · Factory installed wire grab irons
- Jacking pads per prototype
- · Plumbing alongside the frame appropriate to the specific railroad and purchase order
- Fuel tanks with single or dual fuel fillers
- HTCR trucks per prototype
 - Non-sound QuickPlug[™] equipped with 21-pin NEM DCC plug
 - McHenry scale knuckle spring couplers
 - Minimum radius: 18"
 - Recommended radius: 22"

w/o Sound \$249.98srp With Isunami Sound \$339.98srp These items are subject to Horizon's MAP policy





Photo: https://www.youtube.com/watch?v=ew-MizlkHpk




Without Sound ATHG89644 HO SD70ACe (SD70AH), UP #9069 ATHG89645 HO SD70ACe (SD70AH), UP #9096

With Sound

ATHG89844 HO SD70ACe (SD70AH) w/DCC & Sound, UP #9069 ATHG89845 HO SD70ACe (SD70AH) w/DCC & Sound, UP #9096

UP FEATURES:

- New 9000 series UP designation SD70AH
- Tier 4 credit units built in 2016
- PTC antenna array
- Nose mount headlight
- Illuminated front ditch lights
- Late handrails
- UP 9069 ran with UP 1943 during the George Bush funeral train ceremony
- UP 9096 ran with UP 4141 during the George Bush funeral train ceremony



w/o Sound \$239.98_{SRP} With Isunami Sound \$329.98_{SRP} These items are subject to Horizon's MAP policy





HO SD70ACe(SD70AH) Diesel

Announced 12.28.18 Orders Due: 1.25.19

ETA: December 2019

All Railroads

SOUND EQUPPED MODELS ALSO FEATURE

- Onboard DCC decoder with SoundTraxx Tsunami2 sound
- Sound units operate in both DC and DCC
- · Full DCC functions available when operated in DCC mode
- · Engine, horn, and bell sounds work in DC
- All functions NMRA compatible in DCC mode
- Slow speed control
- Program a multiple unit (MU) lashup with lead unit only horn, bell, and lights
- Many functions can be altered via Configuration Value (CV) changes
- · CV chart included in the box

PROTOTYPE SPECIFIC INFORMATION

In order to meet stricter diesel locomotive emissions standards imposed by EPA Tier II regulations, EMD modified the SD-70MAC to create the SD70ACe and SD70M-2. Each model is powered by a 16-cylinder, 4300-horsepower diesel engine. On the SD70M-2, the prime mover drives an alternator and produces AC current that is rectified to DC current, which powers the traction motors. On the SD70ACe, the DC current is then "chopped" back into AC to power the traction motors.

Much of the external design is based on the SD90 series locomotives. Similar features include the full height nose door and rectangular windshields, the large flared radiators with two fans, and the positioning of the dynamic brake equipment at the rear of the long hood. In addition, the inverters were moved from inside the long hood to a box on the walkway behind the fireman's side of the cab.

SD70ACe AND SD70M-2 SPECIFIC FEATURES

- New for the SD70ACe and SD70M-2, LED lighting
- Correctly-sized illuminated ditch lights
- Snowplow
- Front and rear trainline air hose with silver tips
- Multiple unit (MU) hoses with silver tips
- Coupler cut bars
- Train line air hoses
- · Flat or tapered front and rear anticlimbers
- Safety tread on the walkways
- Nose or cab mounted headlight
- Standard or isolated cab
- Windshield wipers
- Tinted side windows
- Mirrors
- Detailed and painted cab interior with control stand, display screens, detailed crew seats and optional grade crossing camera
- Airchime K5LLA horn with square or "tube" style mounting bracket
- GPS Domes or PTC antennas per prototype
- Inverter box with original X-panels, X-panels with retrofitted louvers, factory louvers, late EMD large intake or retrofit large intake
- See-through radiator fans
- Etched dynamic brake grille and screen with appropriate grid detail underneath
- · Dynamic brake louver variations per prototype
- Chicago Blower brand air blower visible behind the see-through grilles at the rear of the locomotive
- · Early or late hand brake housing and wheel
- Early or Late Sander Brackets
- · Factory installed wire grab irons
- Jacking pads per prototype
- Plumbing alongside the frame appropriate to the specific railroad and purchase order
- · Fuel tanks with single or dual fuel fillers
- HTCR or HTSC trucks per prototype
- Non-sound QuickPlug[™] equipped with NEM 21-pin DCC plug
- McHenry scale knuckle spring couplers
- · Minimum radius: 18"
- · Recommended radius: 22"

w/o Sound \$239.98srp With Isunami Sound \$329.98srp These items are subject to Horizon's MAP policy





Announced 12.28.18 Orders Due: 1.25.19

ETA: December 2019


NOW EQUIPPED WITH:

Southern Pacific Santa Fe

The effort continues to enhance Athearn Genesis models per customer requests and feedback. There has been a lot of activity behind the scenes; we're excited to include new features often requested, to the SD45-2 and upcoming Genesis models.

NEW FEATURES:

- All-new LED lighting
- · Rubber MU hoses for durability
- · Models equipped with DCC+Sound will have the new 645E3 20-cylinder prime mover recording by SoundTraxx





Without Sound

ATHG86106 ATHG86107

HO SD45-2, SPSF #7219 HO SD45-2, SPSF #7221

With Sound

ATHG86206 ATHG86207

HO SD45-2 w/DCC & Sound, SPSF #7219

HO SD45-2 w/DCC & Sound, SPSF #7221

SPSF FEATURES:

- First time offered full SPSF merger "Kodachrome"
- Illuminated Stratolite beacon on stand, effect with DCC+Sound
- · Leslie S3LR air horn on tall bracket
- · EMD small style snow plow
- · Sinclair antenna on antenna plane
- · "Chickenwire" radiator grilles
- ATSF style spare knuckles on trucks (engineer's side)



w/o Sound \$209.98srp With Isunami Sound \$299.98srp These items are subject to Horizon's MAP policy





Announced 12.28.18 Orders Due: 1.25.19

Santa Fe

ETA: December 2019





Era: 1984-1986

Without Sound ATHG86102 ATHG86103 ATHG86104 ATHG86105


HO SD45-2, SF Kodachrome #7203 HO SD45-2, SF Kodachrome #7208 HO SD45-2, SF Kodachrome #7207 HO SD45-2, SF Kodachrome #7213

With Sound

ATHG86202 ATHG86203 ATHG86204 ATHG86205

HO SD45-2 w/DCC & Sound, SF Kodachrome #7203 HO SD45-2 w/DCC & Sound, SF Kodachrome #7208 HO SD45-2 w/DCC & Sound, SF Kodachrome #7207 HO SD45-2 w/DCC & Sound, SF Kodachrome #7213





Era: 1975+

Without Sound ATHG86100 ATHG86101

HO SD45-2. SF/Bicentennial #5703 HO SD45-2, SF/Bicentennial #5704

With Sound ATHG86200 ATHG86201

HO SD45-2 w/DCC & Sound, SF/Bicentennial #5703

HO SD45-2 w/DCC & Sound, SF/Bicentennial #5704

- **ATSF BICENTENNIAL FEATURES:**
- · Plaques on handrails
- · Illuminated cab mounted dual clear strobes, effect DCC+Sound
- · Large anticlimber per prototype
- · Air conditioner
- · Can-type radio antenna on ground plane
- · Leslie S3LR air horn on tall bracket
- · Stratolite beacon bracket without hole





Era: 1970s+ Without Sound ATHG86108 ATHG86109 ATHG86110

With Sound

HO SD45-2, EL #3672 HO SD45-2, EL #3676 HO SD45-2, EL #3680

ATHG86208 HO SD45-2 w/DCC & Sound, EL #3672 ATHG86209 HO SD45-2 w/DCC & Sound. EL #3676 ATHG86210 HO SD45-2 w/DCC & Sound, EL #3680

EL FEATURES:

- New road numbers
- · Cab armrests
- Mirrors/Windwings per prototype
- · Low profile Fans, dustbin, exhaust, dynamic brake vent
- · Low profile bracket mounted S3LR
- · 5000 gallon fuel tank
- · Hood side vents per prototype
- Small EMD snowplow
- · Sinclair antenna

w/o Sound \$209.98srp With Isunami Sound \$299.98srp These items are subject to Horizon's MAP policy



- · Sinclair antenna on antenna plane #7203. 7208. 7213: · Leslie S3LR air horn on tall bracket
 - Large Anticlimber
 - #7207:
 - No Anticlimber

Large anticlimber · Air conditioner

· Red numberboards

ATSF FEATURES:

"Chickenwire" radiator grilles

· EMD small style snow plow

ATSF style spare knuckles on trucks (engineer's side)

· Illuminated Stratolite beacon on stand, effect with DCC+Sound

· SPSF assigned 7200 series road numbers pre 1986



Announced 12.28.18 Orders Due: 1.25.19

Conrail ex EL



6661 6661





Era: Late 1970s+

Without Sound

ATHG86111 HO SD45-2, CR ex EL #6661 ATHG86112 HO SD45-2, CR ex EL #6662 ATHG86113 HO SD45-2, CR ex EL #6666

With Sound

ATHG86211 HO SD45-2 w/DCC & Sound, CR ex EL #6661 ATHG86212 HO SD45-2 w/DCC & Sound, CR ex EL #6662 ATHG86213 HO SD45-2 w/DCC & Sound, CR ex EL #6666

Primed for Grime

CSX

CR FEATURES:

- · Former Erie Lackawanna with Conrail road numbers & reporting marks
- · Cab armrests
- · Mirrors/Windwings per prototype
- · Low profile Fans, dustbin, exhaust, dynamic brake vent
- · Low profile bracket mounted S3LR
- · 5000 gallon fuel tank
- · Hood side vents per prototype
- · Faded paint colors
- · Different placement and style of CR logos per prototype road number





Era: 1986+

Without Sound ATHG86119

HO SD45-2, CSX Solid Grey #8950 ATHG86120 HO SD45-2, CSX Solid Grey #8951

With Sound ATHG86219 ATHG86220

HO SD45-2 w/DCC & Sound, CSX Solid Grey #8950 HO SD45-2 w/DCC & Sound, CSX Solid Grev #8951

CSX FEATURES:

- EMD large style snow plow
- Firecracker antenna
- · Leslie RS5L horn air horn
- · Nose mounted headlight
- · Small anticlimber
- · "Chickenwire" radiator grilles



Era: 1985+

#8970[.]

Without Sound ATHG86117

HO SD45-2, CSX ex CRR #8970 ATHG86118 HO SD45-2, CSX ex CRR #8978

With Sound

ATHG86217 ATHG86218

HO SD45-2 w/DCC & Sound, CSX ex CRR #8970 HO SD45-2 w/DCC & Sound, CSX ex CRR #8978

#8978·

- · Underframe painted CSX blue
- · Intact Clinchfield lettering on long hood
- "Ghosted" Clinchfield lettering on long hood
- · Faded / primer paint on fuel tank

w/o Sound \$209.98srp With Isunami Sound \$299.98SRP These items are subject to Horizon's MAP policy



CSX ex CRR FEATURES:

- · Patched per road number, ex- Clinchfield units
- Cab mounted headlight · Small anticlimber
- Standard height Intertial hatch, exhaust stack, fan housings
- · Whip radio antenna
- · Leslie RS5L horn air horn
- Long hood mounted bell



Announced 12.28.18 Orders Due: 1.25.19

ETA: December 2019

Clinchfield





Era: Late 1970s+

Without Sound

 ATHG86114
 HO SD45-2, CRR #3607

 ATHG86115
 HO SD45-2, CRR #3610

 ATHG86116
 HO SD45-2, CRR #3615

With Sound

 ATHG86214
 HO SD45-2 w/DCC & Sound, CRR #3607


 ATHG86215
 HO SD45-2 w/DCC & Sound, CRR #3610

 ATHG86216
 HO SD45-2 w/DCC & Sound, CRR #3615

CRR FEATURES:

- · Windwings per prototype
- · Cab mounted headlight
- · Small anticlimber
- · Standard height Intertial hatch, exhaust stack, fan housings
- Yellow numberboards
- Whip radio antenna
- · Leslie S3LR air horn
- Long hood mounted bell





Without Sound

ATHG86121 ATHG86122 ATHG86123

With Sound ATHG86221 ATHG86222

ATHG86223

HO SD45-2 w/DCC & Sound, HATX Helm Lease #750 HO SD45-2 w/DCC & Sound, HATX Helm Lease #909 HO SD45-2 w/DCC & Sound, HATX Helm Lease #910

HO SD45-2, HATX Helm Lease #750

HO SD45-2, HATX Helm Lease #909

HO SD45-2, HATX Helm Lease #910

HATX FEATURES:

- · Windwings per prototype
- Nose mounted headlight
- Small anticlimber
- Standard height Intertial hatch, exhaust stack, fan housings
- Black or white numberboards per prototype
- Firecracker or Sinclair antenna per prototype
- 3-or-5 chime horn per prototype
- Frame mounted bell
- Commonly used in lease service starting in the late 1980s. Prototype railroads would lease locomotives during power shortages and traffic upturns. These particular units were leased to several eastern roads including Grand Trunk Western and CSX.



w/o Sound \$209.98srp With Isunam Sound \$299.98srp These items are subject to Horizon's MAP policy





Announced 12.28.18 Orders Due: 1.25.19

All Road Names

SOUND EQUIPPED MODELS ALSO FEATURE:

- Onboard DCC decoder with SoundTraxx Tsunami2
- Sound units operate in both DC and DCC
- Some functions are limited in DC
- $\ensuremath{\,\cdot\,}$ Engine, horn, and bell sounds work in DC
- All functions NMRA compatible in DCC mode
- Slow speed control
- Program a multiple unit (MU) lashup with lead unit only horn, bell, and lights
- Many functions can be altered via Configuration Value (CV) changes
- · CV chart included in operators manual
- · For a complete list of features, visit athearn.com

PRIMED FOR GRIME MODELS FEATURE:

• Duplicated look and feel of "In Service" equipment; "Tattered and Torn" just like the real thing



- Faded base colors matched to the prototype
 [#]
- Patches applied and shaped per road
- number matching each corresponding side to the prototype • Perfect starting point for adding grime and rust

PROTOTYPE INFO:

The SD45-2 was an initial success; it was a complete improvement or upgrade as part of EMD's "Dash 2" line; it had little to almost absolutely no flaws during the early stages of production and during the model's official introduction. It was both popular and compatible with the original SD45 as well, with it's large 20-cylinder engine. The SD45-2 lasted somewhat longer than most SD45 units on various owners roster's.

LOCOMOTIVE FEATURES:

- · Safety tread on walkways
- Fine-scale handrails for scale appearance
- · Factory applied wire grab irons
- · Windshield wipers
- See through cab windows
- Detailed and painted cab interior
- Sliding side cab windows
- Metal lift rings
- · Fully-assembled and ready-to-run
- DCC-ready features Quick Plug[™] plug-and-play technology with a 21-pin NEM connector
- Scaled from prototype resources including drawings, photographs, and more
- · Accurately painted and printed paint schemes
- · Body mounted McHenry operating scale knuckle couplers
- Genesis driveline with 5-pole skew wound motor, precision machined flywheels, and multi-link drivetrain for trouble free operation
- All-wheel drive with precision gears for smooth and quiet operation
- All-wheel electrical pickup provides reliable current flow
- Wheels with RP25 contours operate on all popular brands of track
- New LEDs for trouble free operation
- Bi-directional constant lighting so headlight brightness remains constant
- · Heavy die-cast frame for greater traction and more pulling power
- · Packaging securely holds for the model for safe storage
- Minimum radius: 18"
- · Recommended radius: 22"

w/o Sound \$209.98srp With Isunami Sound \$299.98srp These items are subject to Horizon's MAP policy



ETA: December 2019



Southern



Without Sound

ATHG64537	HO GP39X, SOU #4600
ATHG64538	HO GP39X, SOU #4601
ATHG64539	HO GP39X, SOU #4602
ATHG64540	HO GP39X, SOU #4603
ATHG64541	HO GP39X, SOU #4604
ATHG64542	HO GP39X, SOU #4605

With Sound

 ATHG64637
 HO GP39X w/DCC & Sound, SOU #4600

 ATHG64638
 HO GP39X w/DCC & Sound, SOU #4601

 ATHG64639
 HO GP39X w/DCC & Sound, SOU #4602

 ATHG64640
 HO GP39X w/DCC & Sound, SOU #4603


 ATHG64641
 HO GP39X w/DCC & Sound, SOU #4604

 ATHG64642
 HO GP39X w/DCC & Sound, SOU #4604

 ATHG64642
 HO GP39X w/DCC & Sound, SOU #4605

SOU FEATURES:

- · Late EMD style step wells
- · Large pointed style anticlimber
- Small cab sunshades
- · Long hood mounted walkway lights
- Firecracker antennas
- · EMD Blomberg M style truck sideframes
- 3600 gallon fuel tank
- GP50 style late corugated radiator grilles with Q-fans
- Front and rear mounted 3-chime air horns
- Front and rear mounted large plows
- Long hood mounted bell
- DCC+Sound units feature prototypical long hood forward operation



w/o Sound \$189.98srp With Isunami Sound \$279.98srp These items are subject to Horizon's MAP policy





HO GP39X/GP49 Diesel Locomotive

Announced 12.28.18 Orders Due: 1.25.19

ETA: December 2019


Norfolk Southern



Era: 1986+

HO GP49, NS #4600
HO GP49, NS #4601

ATHG64544	HO GP49, NS #4601
ATHG64545	HO GP49, NS #4603
ATHG64546	HO GP49, NS #4604
ATHG64547	HO GP49, NS #4605
ATHG64548	HO GP49, NS #4602



4600

HO GP49 w/DCC & Sound, NS #4600 HO GP49 w/DCC & Sound, NS #4601 HO GP49 w/DCC & Sound, NS #4603 HO GP49 w/DCC & Sound, NS #4604 HO GP49 w/DCC & Sound, NS #4605 HO GP49 w/DCC & Sound, NS #4602

NS FEATURES: · Models represent units rebuilt

- from Southern's GP39X DCC+Sound units feature
- prototypical long hood forward operation

All Railroads

PROTOTYPE SPECIFIC INFORMATION

Built in November 1980, Southern Railway's six GP39X locomotives were built during a time a transition for EMD-from the Dash-2 series, to the 50-series. These 2,600hp units, powered by a 12-cylinder 645F3 prime mover, were essentially test beds (hence the "X" in their designation) for future mediumhorsepower locomotives that would be part of the forthcoming 50-series. While resembling Phase I GP50s at first glance ... "tapered" sidesills, "pointed" anticlimbers, rounded blower housing, and tall radiator intakes ... these units had only a pair of 48" "Q-Fans" for radiator cooling, as well as revised clean air compartment and engine compartment layouts, in deference to their shorter 12-cylinder prime mover (vs. the 16-cylinder version used in the GP50).

Keeping with Southern Railway practice, these units, numbered 4600-4605, were equipped with 81" tall high short hoods, control stands set up for long-hood forward operation, bell on the long hood end, dual Nathan 5-chime horns, snowplows fore and aft, and walkway safety lights mounted to the long hood, dynamic brake housing, and high short hood.

In 1982, these six units were returned to EMD's La Grange, Illinois plant for internal mechanical modifications and upgrades, essentially making them "true" GP49s, the medium-horsepower unit EMD cataloged as part of the 50-series. Their horsepower was raised to 2,800hp as a result, and their designation was officially changed to GP49 as well.

As medium-horsepower units, they could be found in a variety of service, from locals to mainline freights. They would continue on in service for Southern Railway's successor, Norfolk Southern, gaining a coat of "Thoroughbred" black paint in the process, and remaining on their active roster into the early 2000s.

LOCOMOTIVE FEATURES:

- · Fully-assembled and ready-to-run
- DCC-ready features Quick Plug™ plug-and-play technology with 21-pin NEM connector
- · Scaled from prototype resources including drawings, field measurements, photographs, and more
- · Coupler cut levers
- MU hoses
- Trainline hose
- See through cab windows
- · Full cab interior
- · Walkway tread
- · Fine-scale Celcon handrails for scale appearance
- · Windshield wipers
- Lift rings
- · Wire grab irons

for safe storage

- Detailed fuel tank with fuel fillers, fuel gauges, & breather pipes
- Sander lines
- McHenry scale knuckle couplers Kadee compatible
- · Genesis driveline with 5-pole skew wound motor, precision machined flywheels, and multi-link drivetrain
- · All-wheel drive with precision gears for smooth & quiet operation
- All-wheel electrical pickup provides reliable current flow
- Wheels with RP25 contours operate on all popular brands of track
- · LED Lighting for trouble free operation
- · Heavy die-cast frame for greater traction and more pulling power · Packaging securely holds for the model




SOUND EQUPPED MODELS ALSO FEATURE


- Onboard DCC decoder with SoundTraxx Tsunami2 sound
- · Sound units operate in both DC and DCC
- · Full DCC functions available when operated in DCC mode
- · Engine, horn, and bell sounds work in DC
- All functions NMRA compatible in DCC mode
- · Precision slow speed control
- · Many functions can be altered via CV changes
- · CV chart included in operators manual

w/o Sound \$189.98srp With Isunami Sound \$279.98srp These items are subject to Horizon's MAP policy





Visit Your Local Retailer | Visit www.athearn.com | Call 1.800.338.4639



HORIZON

* Union Pacific Licensed Product



2006+

ATH5897 ATH5898 ATH5899 HO RTR Husky Stack, TTX Red Logo #56126 HO RTR Husky Stack, TTX Red Logo #56165 HO RTR Husky Stack, TTX Red Logo #56222

All Carriers

PRIMED FOR

GRIME

PRIMED FOR GRIME MODELS FEATURE:


- Duplicated look and feel of "In Service" equipment; "Tattered and Torn" just like the real thing
- Faded base colors matched to the prototype #Ready2Rust
- Patches applied and shaped per road
 number matching each corresponding side to the prototype
- Perfect starting point for adding grime and rust


MODEL FEATURES:

- Great car to use with the new 40' Low-Cube containers, available separately.
- · Fully-assembled and ready-to-run out of the box
- · Accurately painted and printed
- · Highly detailed, injection molded body
- · Separately applied brake wheel
- 48' well cabable of carrying 20' 48' containers on the bottom and up to 53' containers on top
- Machined metal wheels
- Screw mounted trucks
- Body mounted McHenry operating scale knuckle couplers
- · Weighted for trouble free operation
- Wheels with RP25 contours operate on all popular brands of track
- Window packaging for easy viewing plus interior plastic blister safely holds the model for convenient storage
- Minimum radius: 18"

\$30.98 Individual SRP \$89.98 3-Unit Drawbar SRP









HO 53' Reefer Trailer

All Carriers

Announced 12.28.18 Orders Due: 1.25.19

ETA: December 2019


PROTOTYPE AND BACKGROUND INFO:

Trailer On Flat Car (TOFC) has been in service since the 1940s when it was originally developed to load truck trailers onto flat cars to streamline service and minimize transferring cargo from boxcars to trailers. In the early 1980s, after the railroads were deregulated, TOFC service exploded in North America. The railroad's ability to adjust haul rates to be competitive with trucking meant new revenue in areas that the railroads weren't able to successfully compete before.

MODEL FEATURES:

- · Separately applied mud flaps
- Rubber tires
- · Fully-assembled and ready to use out of the box
- · Highly-detailed, injection-molded body
- Painted and printed for realistic decoration
- Three fuel tank sizes per prototype
- Spare tire rack per prototype






\$27.98_{SRP}

HO 50' Plug Door Smooth Side Box, MILW #2650

RND79107



Visit Your Local Retailer | Visit www.athearn.com | Call 1.800.338.4639

HORIZ

* Union Pacific Licensed Product



HO 50' Single Plug Door Box

All Carriers

PRIMED FOR

Announced 12.28.18 Orders Due: 1.25.19

ETA: December 2019

PRIMED FOR GRIME MODELS FEATURE:

- Duplicated look and feel of "In Service" equipment; "Tattered and Torn" just like the real thing
 - and Torn" just like the atched to the prototype #Ready2Rust
- Faded base colors matched to the prototype
- Patches applied and shaped per road number matching each corresponding side to the prototype
- Perfect starting point for adding grime and rust


PROTOTYPE AND BACKGROUND INFO:

Pullman Standard introduced the all steel PS-1 box car in several diffent sizes including 40', 50' and 60' lengths. Multiple door configurations and styles made these box cars very flexible. Pullman Standard had their own signature details, such as rolled non-terminating ends, and bow-tie stamped metal roofs. These were signature elements that identified the PS-1 among the other freight car builders of the time.


MODEL FEATURES:

- · Fully-assembled and ready to run out of the box
- · Cars feature standard or cushioned underframe per prototype.
- · Highly-detailed, injection-molded body
- · Separately applied roof walk and brake wheel
- Positionable sliding doors
- · Painted and printed for realistic decoration
- · Weighted for trouble free operation
- 33" machined metal wheels with RP25 contours operate on all popular brands of track
- · Body mounted McHenry operating scale knuckle couplers
- Window packaging for easy viewing plus interior plastic blister safely holds the model for convenient storage
- · Replacement parts available
- Minimum radius: 18"





Visit Your Local Retailer | Visit www.athearn.com | Call 1.800.338.4639



\$23.98 Individual SRP \$69.98 3-Unit Drawbar SRP



Visit Your Local Retailer | Visit www.athearn.com | Call 1.800.338.4639

* Union Pacific Licensed Product



2006+

ATH12373 ATH12374 ATH12375 N Husky Stack, TTX Red Logo #56126 N Husky Stack, TTX Red Logo #56165 N Husky Stack, TTX Red Logo #56222

All Carriers

PRIMED FOR

GRIME

PRIMED FOR GRIME MODELS FEATURE:

- Duplicated look and feel of "In Service" equipment; "Tattered and Torn" just like the real thing
- Faded base colors matched to the prototype #Ready2Rust
- Patches applied and shaped per road number matching each corresponding side to the prototype
- · Perfect starting point for adding grime and rust

MODEL FEATURES:

- · Fully assembled and ready-to-run
- Etched metal walkways
- · Separately applied brake rigging and brake wheel
- Screw mounted trucks
- Precision machined metal wheels
- McHenry knuckle spring couplers
- Operates on Code 80 and 55 rail
- Clear plastic jewel box
- · Brand-New N-Scale container available separately
- Minimum radius: 11"


\$23.98 Individual SRP \$69.98 3-Unit Drawbar SRP





N 40' Low Cube Container

Announced 12.28.18 Orders Due: 1.25.19



An intermodal container is a large standardized shipping container, designed and built for intermodal freight transport, meaning these containers can be used across different modes of transport - from ship to rail to truck - without unloading and reloading their cargo. Corrugating the sheet metal used for the sides and roof contributes significantly to the container's rigidity and stacking strength, just like in corrugated iron or in cardboard boxes. International containers have castings with openings for twistlock fasteners 40' apart on the eight corners, to allow gripping the box from above, below, or the side, and they can be stacked up to ten units high for storage.

- Brand new model for N-scale
- Three different road numbers per pack
- · Some SKUs feature multiple logos and/or decoration variations

PRIMED FOR GRIME MODELS FEATURE:

- · Duplicated look and feel of "In Service" equipment; "Tattered and Torn" just like the real thing
- Faded base colors matched to the prototype
- · Patches applied and shaped per road
- number matching each corresponding side to the prototype · Perfect starting point for adding grime and rust



PRIMED FOR

GRIME

