


New Items 2014

Kits and accessories for model railway H0 · TT · N

Auhagen



80 109

B-A-U
KASTEN
System



80 109

B-A-U
KASTEN
System



80 109

B-A-U
KASTEN
System



80 109

B-A-U
KASTEN
System

Steam hammer

Forge

Steam accumulator boiler



80 109

B-A-U
KASTEN
System

80 109 H0 Steam hammer and accessories

This item combines a comprehensive interior fittings for the metalworking industry as well as railroad repair plant. Includes large and small steam hammer, forge, manipulator, turntable, forging tongs with stand, 6 large and 6 small moulding blanks as well as 6 short and 6 long finished parts, 3 open and 3 closed transport frames, 4 support chocks and 2 workbenches. The pipes for the steam accumulator boiler, which are affixed externally, are also included.

Steam hammer 52 x 10 x 67 mm

Forge 71 x 38 x 55 mm

Available from 09/2014

RRP 41.90 EUR



New Items 2014



11 440 H0 Platform

Train platform with cast iron columns. The stairs to the underpass are not mandatory to include in construction. The platform area is made of sturdy cardboard with lasercut technology. Please refer to our craft tip on page 85. For extensions, you can join multiple train platforms together or use item 41 634 without a roof. The train platform height is variable.

When using track with built-in track-bed, compensate for the extra height with the base.




Available from 09/2014
RRP 26.90 EUR

336 x 79 x 64/70 mm

11 440



11 440



41 634 H0 Platform without roof




Suitable for extensions to our Platform No. 11 440. The train platform height is variable.

When using track with built-in track-bed, compensate for the extra height with the base.

Available from 09/2014
RRP 17.90 EUR

336 x 79 x 7/13 mm


41 634



99 052



99 052 H0 Wachstädt halt



An inexpensive model well-suited for street scenes for model trains and model train events. Especially easy to construct.

Available from 02/2014
RRP 3.20 EUR

**RAUM
ZELLEN
System**

124 x 89 x 60 mm


11 441



11 441 H0 Plate girder bridge

Single-track, straight and with trackway below and main girders to the sides. The wing walls can be arranged in two ways.

Available from 09/2014
RRP 21.90 EUR




11 441



11 441




11 441



11 441



11 439 H0
Farm



Three buildings in sleek brick construction. Only the farmhouse is adorned with yellow brick trimwork and frame borders. The barn has a drive-through section. It includes beams and a hayloft, which is accessible via stairs. The barn doors are textured on both sides, meaning that they can be open or closed. Covered storage is provided by the roof construction.

Farmhouse 135 x 125 x 93 mm

Barn 236 x 110 x 102 mm

Stall 144 x 62 x 66 mm

Available from 07/2014

RRP 47.30 EUR

11 439



41 630 H0
Conveyor belts

Indispensable for loading and unloading bulk goods.

Height can be adjusted from 29 to 71 mm.

2 pieces

Available from 07/2014

RRP 15.60 EUR

41 630



Each 117 x 30 mm

41 629



41 629 H0
Fountain replica

The centre of a small town market with cobblestone base plate and plastic water surface.

Available from 07/2014

RRP 15.90 EUR

84 x 84 x 44 mm

41 631



41 631 H0
Slate roof sheets

The realistic depiction of German slate roofing complements our DIY construction assortment.

4 pieces

Available from 07/2014

RRP 9.10 EUR

Each 255 x 45 mm

41 631



Auhagen

80 254

B-A-U
KASTEN
System

80 108

B-A-U
KASTEN
System

41 635



80 254 H0 Covered loading dock

For use with walls 80 519 or 80 520 in red, 80 619 or 80 620 in yellow, either with or without brick frieze, as well as 80 719 plastered. You can use these parts to create a dock for train or lorry loading.

4 dock parts 48 x 47 x 17.5 mm

4 dock parts 48 x 22 x 17.5 mm

4 roof segments 48 x 50 mm

Available from 07/2014

RRP 13.90 EUR

80 108 H0 Cyclone

Cyclones were used primarily in the woodworking industry to suction off dust and sawdust. The pipe to connect to the building is included. By assembling on the frame, it is possible to collect debris in a container (not included) for disposal.

Available from 09/2014

RRP 8.20 EUR

35 x 35 x 74 mm

41 635



41 635 H0 In-house transport

The forks can be attached to a forklift and are adjustable in height and width. Both hauling trailers are equipped with centre pivot plate steering. Further, they can be either single or twin tyres. Forklift 41 x 16 x 26 mm. Trailers 35 x 18 x 6 mm, 58 x 29 x 7 mm

Available from 09/2014

RRP 21.90 EUR

41 633



41 633 H0 Transport frames

Especially suited for transporting round materials. Open and closed bottoms. 10 units each.

Available from 09/2014

RRP 9.30 EUR

Each 9 x 7 x 6 mm

41 632



41 632 H0 Transport boxes

You just can't have enough of these. Sorted by colour.

16 units each.

Available from 07/2014

RRP 9.90 EUR

Each 14 x 9 x 6 mm

80 003

B-A-U
KASTEN
System

80 003 H0 Planning aid brochure 3

The third free brochure for our building set system. Here you'll find all of the new products as well as construction tips and application examples.

Available from 07/2014

RRP 0.00 EUR

Auhagen



80 214

B-A-U
KASTEN
System

80 214 H0
Windows M, white

20 pieces
Available from 07/2014
RRP 4.00 EUR

Each 12 x 8 mm



80 215

B-A-U
KASTEN
System

80 215 H0
Windows M, brown

20 pieces
Available from 07/2014
RRP 4.00 EUR

Each 12 x 8 mm



80 216

B-A-U
KASTEN
System

80 216 H0
Windows M, green

20 pieces
Available from 07/2014
RRP 4.00 EUR

Each 12 x 8 mm



80 253

80 253 H0
Metal doors G

Limited suitability for clinker brick walls.
6 pieces
Available from ab 07/2014
RRP 6.40 EUR

Each 36 x 41 mm



80 519

80 519 H0
Wall 2410E, walls 2410F and walls 2410H, red

1 wall 2410E with door opening D to the right and window openings A and M, 2 walls 2410F with M window openings as well as three 2410H walls with G door and M window openings without indented frieze.
Available from 07/2014 RRP 7.60 EUR

Each 46 x 86 mm



80 520

80 520 H0
Wall 2410A, walls 2410B and walls 2410D, red

1 wall 2410A with door opening D to the right and window openings A and M, 2 walls 2410B with M window openings as well as three 2410D walls with G door and M window openings with indented frieze.
Available from 07/2014 RRP 7.60 EUR

Each 46 x 86 mm



80 521

80 521 H0
Walls 2410G, red

8 walls with window openings B without toothed frieze.
Available from 07/2014
RRP 8.30 EUR

Each 46 x 86 mm



80 522

80 522 H0
Walls 2410C, red

8 walls with window openings B and indented frieze.
Available from 07/2014
RRP 8.30 EUR

Each 46 x 86 mm



80 412

B-A-U
KASTEN
System

80 412 H0
Small gables and short corner pillars, red

4 gables 48 x 13 mm
8 corner pillars 8 x 8 x 51 mm
Available from 07/2014
RRP 6.10 EUR



80 619 H0
Wall 2410E, walls 2410F and walls 2410H, yellow

80 620 H0
Wall 2410A, walls 2410B and walls 2410D, yellow

80 719 H0
Wall 2410I, walls 2410J and walls 2410L, plastered

1 wall 2410E with door opening D to the right and window openings A and M, 2 walls 2410F with M window openings as well as three 2410H walls with G door and M window openings without indented frieze.

1 wall 2410A with door opening D to the right and window openings A and M, 2 walls 2410B with M window openings as well as three 2410D walls with G door and M window openings with indented frieze.

1 wall 2410I with door opening D to the right and window openings A and M, 2 walls 2410J with window openings M as well as 3 walls 2410L with door openings G and window openings M.

Available from 07/2014 RRP 7.60 EUR


Available from 07/2014 RRP 7.60 EUR

Available from 07/2014 RRP 7.60 EUR

Each 46 x 86 mm

Each 46 x 86 mm

Each 46 x 86 mm



80 621 H0
Walls 2410G, yellow

80 622 H0
Walls 2410C, yellow

80 721 H0
Walls 2410K, plastered

8 walls with window openings B without indented frieze.

8 walls with window openings B and indented frieze.

8 walls with window openings B.

Available from 07/2014 RRP 8.30 EUR



Available from 07/2014 RRP 8.30 EUR

Available from 07/2014 RRP 8.30 EUR

Each 46 x 86 mm

Each 46 x 86 mm

Each 46 x 86 mm



80 413 H0
Small gables and short corner pillars, yellow

80 305 H0
Metal roofs

80 306 H0
Metal roofs

4 gables 48 x 13 mm
 8 corner pillars 8 x 8 x 51 mm
Available from 07/2014 RRP 6.10 EUR

With guttering and downspouts.
 2 pieces
Available from 07/2014 RRP 6.80 EUR

With guttering and downspouts.
 2 pieces
Available from 07/2014 RRP 6.50 EUR


Each 154 x 110 mm

Each 143 x 63 mm

41 708



41 708 H0 Narrow-gauge engine shed with service station



The service station makes this engine shed very attractive. 5 fuel tanks can be stored in the shed, 8 pieces are included. You can't do without a hand pump and 2 cans, of course.

The doors to the engine shed are not moveable, but can be affixed either open or closed. The floor is equipped with track corresponding to our narrow-gauge railway 41 701. Other track systems can also be used by removing this track. An overhead line tower as well as workshop stove complete the contents of this construction kit.

Clear gate height 30 mm

Clear gate width 24 mm

For engines up to 68 mm long

Available from 07/2014

RRP 18.80 EUR

41 708



41 708



41 706 H0 Bin cart replicas

These wagons were used to transport peat, for example.

3 pieces

Available from 07/2014

RRP 10.70 EUR

Gauge 6,5 mm, Length 19 mm

41 706



41 707 H0 Swivel bolster cart replicas

This wagon type was used in pairs for use in transporting long wood. The long loads took on the task of forwarding tractive forces.

2 pieces

Available from 07/2014

RRP 10.70 EUR

Gauge 6,5 mm, Length 19 mm

41 707



71 x 42 x 41 mm
40 x 15 x 19 mm

Auhagen

42 513



42 514



42 515



42 513 H0/TT
Ore Mountains background 1

42 514 H0/TT
Ore Mountains background 2


42 515 H0/TT
Ore Mountains background 3

All 3 backgrounds show a low mountain range landscape. They can be extended in series 1 – 2 – 3. Thus, you'll have a background measuring 837 cm. 3 backgrounds each 93 x 65 cm, total length 279 x 65 cm.

Available from 07/2014
RRP 20.70 EUR/piece

52 236

52 436



50 116

50 516



Limestone wall small

Multi-coloured card for scratchbuilding tunnel portals, embankments, bridges, ruined castles, streets etc.

All paper accessory sheets are shown actual size.

Colours may vary with each dye lot.

220 x 100 mm

50 116 5 pieces

RRP 3.90 EUR

50 516 100 pieces

RRP 0.55 EUR/piece

Available from 02/2014

Cobblestone sheets straight

Made of strong polystyrene, finely detailed, for dozens of uses.

All wall and accessory sheets are shown actual size (section). Colours may vary with each dye lot.

Structure surface 100 x 200 mm

52 236 2 pieces

RRP 3.90 EUR


52 436 12 pieces

RRP 1.60 EUR/piece

Available from 07/2014

Auhagen

13 339 TT
Signal box



Especially during and after the war years, disused wagons were placed on masonry pedestals for use as electromechanical signal boxes. The platform served to improve sight. Control panel and stove included in the interior fittings. The stairs are made of both plastic material and sturdy cardboard made by laser cut technology. Please follow our tip at www.auhagen.de.

When using track with built-in trackbed, compensate for the extra height with the base.

Available from 07/2014
RRP 24.20 EUR

128 x 34 x 55 mm

13 339



43 656



43 656 TT
Lamp pole dummies with elliptical arm curvature

8 pole luminaire height 49 mm
4 wall-mounted luminaires overhang 15 mm

Available from 07/2014
RRP 10.70 EUR

108 x 68 x 132 mm

43 655





43 655 TT
Level crossing with barrier

Manual operation. Can be used with straight or curved track with various inserts. When using track with built-in trackbed, compensate for the extra height with the base. Road width 50 mm, barrier support height 12 mm


Available from 02/2014
RRP 20.90 EUR

100 x 105 mm curved
100 x 83 mm straight

43 655



13 340 TT
House Markt 4



These three storey resident with slate roof and dormers is an outstanding complement to our home and business series Markt 1 to 3. For an attractive streetscape, use city houses like 12 250 through 12 253.

Available from 07/2014
RRP 20.90 EUR

13 340



Auhagen



44 635


44 635 N
Tunnel portals single track

With crenellated wall and 4 side walls, mottled.
For steam or overhead electric operation and for build in into track curve.

Suitable for track systems at www.auhagen.de.

2 pieces

Available from 02/2014
RRP 8.60 EUR



44 636


44 636 N
Tunnel portals double track

With crenellated wall and 4 side walls, mottled.
For steam or overhead electric operation and for build in into track curve.

Suitable for track systems at www.auhagen.de.

2 pieces

Available from 02/2014
RRP 9.30 EUR



44 637

44 637 N
Level crossing with barrier

Manual operation. Can be used with straight or curved track with various inserts. When using track with built-in trackbed, compensate for the extra height with the base.

Road width 32 mm
Barrier support height 8 mm

Available from 02/2014
RRP 19.90 EUR

40 x 88 mm



14 474

14 474 N
Sheds



Versatile uses from tool shed, refuge, forest worker accommodations or a garden cottage.

Available from 09/2014
RRP 10.70 EUR

47 x 37 x 23 mm
28 x 19 x 20 mm



99 305

99 305 N
Au-BOX

Cardboard lid with clear windows. Stable microwave box. The foam rubber insert protects your vehicles from damage. They are shipped lying flat. The collapsible boxes are easy to set up. For further information see at www.auhagen.de.

Interior dimensions 200 x 47 x 30 mm
Foam 200 x 75 x 11 mm
Available from 02/2014
RRP 22.50 EUR

10 pieces





14 475 N
Factory building



You can create an attractive industrial complex with this model in brick construction exactly to scale.

It consists of a production and administrative building as well as a factory work floor with overhead light and a large door for rail cars. The buildings can be connected via a passageway. The octagonal chimney is also included.

Nos. 44 638 and 44 639 are also suitable for enclosing the premises.

Factory work floor 162 x 114 x 72 mm
Clear gate height 38 mm

Clear gate width 27 mm

Production and administrative building
136 x 68 x 75 mm

Passageway 26 x 10 x 17 mm

Clearance passageway 26 mm

Clear width passageway 25 mm

Chimney 22 x 22 x 202 mm

Available from 09/2014

RRP 44.90 EUR

44 638 N
Enclosure

With capstone.

12 pieces each 58 x 12 mm

6 pieces each 37 x 12 mm

Available from 09/2014

RRP 14.10 EUR

44 638



44 639



44 639 N
Gates

Suitable for our No. 44 638 Enclosure. The gates of body-died cardboard are made by laser cut technology.

Please follow our tip on page 85.

1 piece

Clear gate width for vehicles 26 mm

Height 12 mm

3 pieces

Clear gate width 6 mm

Height 11 mm

Available from 09/2014

RRP 7.50 EUR

Total length 918 mm

Your model railway dealer

Catalogue No. 13 was published in February 2014 and remains valid for two years. You can obtain a copy from your dealer or direct from us for 4.00 Euro plus postage.

Auhagen GmbH

Kits and accessories for model railways · Tool and mould production

Plastic injection moulding

Manufacturing of packing made of card and cardboard

OT Hüttengrund 25 · D-09496 Marienberg

Tel: +49(0)37 35.66 84 66 · Fax:+49(0)37 35.66 84 33

www.auhagen.de · info@auhagen.de