


870012

NEM651 Mobile Decoder with Wires


- Interface: NEM651 Color 6 wire+ Blue and Black Wire
- Scale: HO & N Scale
- Size: 10.6*8.7mm
- Current Rating: 2 Amp peak power, 1A continuous
- Function: 2*100mA



870013

NEM651 Mobile Decoder with 6Pin


- Interface: NEM651 6 Pin+ Blue and Black Wire
- Scale: HO & N Scale
- Size:10.6*8.7mm
- Current Rating:2 Amp peak power, 1A continuous
- Function: 2*100mA



870014

Mobile Decoder with 9 Wires


- Interface: 9 Wire+ Blue and Black Wire
- Scale: HO Scale
- Size: 18mm*12mm*3mm
- Current Rating: 1A
- Function: 4*100mA
- Support to connect with 870009 KungFu stay alive kits



870015

Mobile Decoder with Next18(NEM662)


- Interface: Next18(NEM662) + Blue and Black Wire
- Scale: HO & N Scale
- Size: 15mm*9.5mm*2.9mm
- Current Rating: 2 Amp peak power, 1A continuous
- Function: 6*100mA



870016

Mobile Decoder with Plux22 of 6 Functions


- Interface: Plux22+ Blue and Black Wire
- Scale: HO Scale
- Size: 16mm*17.5mm*3mm
- Current Rating: 1A
- Function: 6*100mA
- Support to connect with 870009 KungFu stay alive kits



870017

Mobile Decoder with Plux16 Interface

- Interface: Plux16 + Blue and Black Wire
- Scale: HO Scale
- Size: 16mm*17.5mm*3mm
- Current Rating: 1A
- Function: 4*100mA
- Support to connect with 870009 KungFu stay alive kits



870019

Mobile Decoder with 21MTC of 6 Functions

- Interface: 21MTC+ Blue and Black Wire

- Current Rating: 1A
- Function: 4*100mA + 2 Logic Output
- Support to connect with 870009 KungFu stay alive kits




870021

Mobile Decoder with 8 pin NMRA NEM652

- Interface: NEM652+ Blue and Black Wire
- Scale: HO Scale

- Function: 4*100mA
- Support to connect with 870009 KungFu stay alive kits



880001

G Scale Decoder With Hard Wire

- Interface: Hard Wire
- Scale: G Scale O Scale
- Size: 77mm x 38mm x 14mm
- Current Rating: 5A

